



Electronic. Ergonomic.

# More than a flatbed applicator





# **Features**



# Digital Adjustable Click Torque Technology

Our patented DACT Technology is a truly technical paradigm shift for flatbed applicators. The disadvantages with traditional analog technology based on an Air Compressor controlled Roller is now passed into history and replaced with our modern Digital Technology - DACT.



The DACT Technology is based on an electronically controlled pressurized roller. This ensures the roller will be exactly parallel towards the table surface.

Due to the DACT Technology, the lamination process does not need to be done in the exact middle of the table.

No damages on pressure sensitive materials in corners or ends of the material. Supporting posts are not needed during lamination.



The DACT Technology also makes the EWS Workstation very easy to handle:

- Six levels of roller pressure available to get optimized pressure for any type of lamination.
- Appropriate pre-programmed pressures for certain materials, easily set with quick commands.
- Work anywhere on the table. No more stretching towards the middle.



### **LED-illumination**

LED backlighted surface with variable brightness makes it easy to use crop marks.



# Storage shelves & cutting grooves

Removable and adjustable shelfs underneath the table for storage of material and tools. Recessed grooves for cutting knife on both sides of the table surface.



### Motordrive

Operate the Glidebeam and the roller with a remote control at a constant speed to avoid an uneven longitudinal lamination. The Motor drive has four different speeds.



# Tilt function & foldable glidebeam

Table tilt up to 25 degrees to get a comfortable working position for anybody regardless of ergonomic preferences.

Tilt is standard on X4 models and option for X2 models. Foldable glidebeam for maximized working surface.



# **Heat roller 30-60°** (86-140°F)

Reducing silvering in the lamination process. Designed to give an even temperature along the complete working area of the table during the lamination process.



### **Built-in wheels**

3

Easy to move the EWS Workstation with built-in wheels.



2



- Heat assisted applications
- Controlled speed applications

















Features	Essential	Advance	Essential	Advance	Performance	Performance HEAT°
	(X2)	(X2)	(X4)	(X4)	(X4 only)	(X4 only)
HEATROLLER 30-60°C (86-140°F)						✓
4-SPEED MOTOR DRIVE					✓	✓
ERGONOMIC TILT 0-25°	✓	4	1	✓	✓	✓
LED-ILLUMINATION		1		<b>✓</b>	✓	✓
DACT-ELECTRONIC GLIDE BEAM (6 PRE-SETTINGS)	✓	<b>✓</b>	✓	✓	✓	✓
SELF HEALING CUTTING MAT	/	✓	/	<b>✓</b>	✓	✓
ELECTRONIC HEIGHT ADJUSTABLE LEGS 800 - 1100MM - 2FT. 7.5IN 3FT. 7IN.	✓	<b>✓</b>	✓	✓	✓	✓
CUTTING GROOVES	<b>✓</b>	<b>√</b>	/	<b>✓</b>	✓	✓
MEDIA ROLL HOLDER AT BED END	<b>✓</b>	<b>√</b>	/	<b>✓</b>	✓	✓
MEDIA ROLL HOLDER FOR GLIDE BEAM	<b>✓</b>	<b>/</b>	/	<b>/</b>	✓	✓
MEDIA / MATERIAL SHELVES	✓	<b>✓</b>	1	<b>√</b>	✓	✓
DISPATCHABLE WHEELS	Manually	<b>√</b> Manually	Semi- automatic	Semi- automatic	Semi- automatic	Semi- automatic

General info	<b>305</b> (X2 & X4)	<b>380</b> (X2 & X4)	<b>528</b> (X4)
WORKSTATION LENGTH	3061 mm / 10ft 1in	3804 mm / 12ft 6in	5291 mm / 17ft 4in
WORKSTATION WIDTH	1750 mm / 5ft 9in	1750 mm / 5ft 9in	1750 mm / 5ft 9in
MAX WORKING LENGTH	2589 mm / 8ft 6in	3332 mm / 10ft 11in	4819 mm / 15ft 9in
MAX WORKING WIDTH	1635 mm / 5ft 4in	1635 mm / 5ft 4in	1635 mm / 5ft 4in
TOTAL WIDTH GLIDEBEAM	2002 mm / 6ft 7in	2002 mm / 6ft 7in	2002 mm / 6ft 7in
HEIGHT FROM TABLE SURFACE TO TOP GLIDEBEAM HANDLE	289 mm / 11in	289 mm / 11in	289 mm / 11in
MAX THICKNESS MATERIAL	100 mm / 4in	100 mm / 4in	100 mm / 4in
WORK HEIGHT	800-1100 mm 2ft 7,5in - 3ft 7in	800-1100 mm 2ft 7,5in - 3ft 7in	800-1100 mm 2ft 7,5in - 3ft 7in
POWER REQUIREMENT	230V/50Hz (10A) 120V/60Hz (15A)	230V/50Hz (10A) 120V/60Hz (15A)	230V/50Hz (10A) 120V/60Hz (15A)
TABLE TOP	Glass & cutting mat	Glass & cutting mat	Glass & cutting mat

# Installation & user manual

# **About us**

# Easy to transport and install

All EWS-models are preassembled from the factory and packed vertically so that they can be transported easily, e.g. through narrow passages (doors etc.).

### **Packing dimensions**

MODEL:	LENGTH:	WIDTH:	HEIGHT:	WEIGHT:
EWS 305	3150 mm	860 mm	1950 mm	420 kg
	10ft 4in	3ft	6ft 5in	925 lbs
EWS 380	3850 mm	860 mm	1950 mm	520 kg
	12ft 7,5in	3ft	6ft 5in	1146 lbs
EWS 528	5480 mm	860 mm	1950 mm	660 kg
	17ft 11,7in	3ft	6ft 5in	1455 lbs



# Designed & Made in Sweden

Patrik Johansson and Alexander Johansson are the passionate construction team behind the pioneering **EWS - Electronic Work Station**.

Patrik is one of the worlds most experienced constructors of flatbed laminators and workstations for lamination. With more than **30 years of experience** Patrik is also the brain behind former laminators which are still on the market. The conclusion was that previously used **compressor technology had to be replaced**.

The result is the **EWS - Electronic Work Station**.



"My main goal with the EWS was to design the most user-friendly workstation on the market. Therefore, we had to use the most reliable and modern technology in order to eliminate all the experienced problems within the laminating process."


## **Installation manual**

Illustrated installation manual for easy installation.



## **User manual**

Illustrated user manual for easy handling.





https://axprinter.com
Tél: +33 (0) 6 26 65 58 20
E-mail: info@axprinter.com

"We found the latest as well as the most proven and reliable technology: the one used in 3D-printing machinery. This technology gives a precise and even control of the pressurized roller on the EWS workstation.

Going into electronics also give us opportunities for future upgrades of coming new innovative solutions for the **EWS** workstation. Production optimization in order to reduce manufacturing cost was also very important.

Had I known what an enormous amount of work it would take to construct the **EWS**, I would probably have hesitated to start in the first place, but Alexander pushed me forward and forced me to think in a new direction so I'm glad I didn't. We made it! **The EWS is here!!**"